seeed studio

INDUSTRIAL PRODUCT DATASHEET

Power Cable_XT30-(2+2)-Female to XT30-(2+2)-Female-200mm - For reBot Arm B601-DM

Power Cable_XT30-(2+2)-Female to XT30-(2+2)-Female-200mm for reBot Arm B601-DM with premium gold-plated XT30 (2+2) connectors, durable braided mesh and dual-wall tubing, -60°C to +150°C operating range, and >10N pull-forc...

SKU	UPDATED	PRICE
100021146	2026-11-11 09:24:09	$8.00(Excl. VAT)



Overview



The Power Cable_XT30-(2+2)-Female to XT30-(2+2)-Female-200mm for reBot Arm B601-DM features premium XT30 (2+2) connectors with gold-plated terminals for reliable power and signal transmission. It offers durable protection with a Φ10.0*370mm black braided mesh and Φ9.5*35mm black dual-wall tubing reinforced with 704B black silicone at the joints, supports an operating temperature range of -60°C to +150°C, and ensures secure connections with terminals assembled according to the diagram and a pull force greater than 10N.

Key Features

01 **Premium Connectors**

Utilizes XT30 (2+2) connectors with gold-plated terminals to ensure reliable and stable power and signal transmission.

02 **Durable Protection**

The wire body is wrapped in a Φ10.0*370mm black braided mesh and Φ9.5*35mm black dual-wall tubing, reinforced with 704B black silicone at the joints.

03 **Extreme Temperature Resistance**

Built for harsh environments, supporting a wide operating temperature range from -60°C to +150°C.

04 **Secure Connection**

The terminals are strictly assembled according to the diagram with a pull force greater than 10N, preventing accidental disconnection.


Product Gallery







Hardware Overview



Resource Links

- https://www.seeedstudio.com/Power-Cable-XT30-2-2-Female-to-XT30-2-2-Female-200mm-p-6821.html

Seeed Technology Co.,Ltd.
9F, Building G3, International E City,
Zhongshanyuan Road, Nanshan, Shenzhen, China

Tel: +86 0755-80695676
Web: www.seeed.cc
Shop: www.seeedstudio.com