

INDUSTRIAL PRODUCT DATASHEET

2.13" Quadruple Color eInk / ePaper Display with 122x250 Pixels, additional yellow and red display, SPI interface, Support XIAO/Arduino

The 2.13" Quadruple Color eInk / ePaper Display with 122x250 Pixels, SPI interface, and XIAO/Arduino support delivers plug-and-play integration, ultra-low power, and no-code UI design for electronic shelf labels, smart wearables, and more.

SKU


104990846

UPDATED


2026-07-30 08:33:09

PRICE

\$7.50(Excl. VAT)



Overview



The 2.13" Quadruple Color eInk / ePaper Display with 122x250 Pixels, SPI interface, and XIAO/Arduino support ensures plug-and-play setup with XIAO ePaper Driver Boards and seamless customization via SenseCraft HMI. Its reflective, ultra-low power, eye-friendly design provides exceptional readability in any lighting, ideal for reading equipment, mobile devices, electronic tags, smart wearables, electronic shelf labels, and smart cards.

Key Features




- **Plug & Play with XIAO ePaper Driver Boards:** Natively compatible with a range of 24-pin ePaper displays via the [ePaper Display Board](#), these ready-to-use controller boards offer features such as an optional battery connector and a user button to accelerate prototyping and project development.
- **Exceptional Readability:** The display's reflective properties ensure effortless legibility of text and images in different lighting environments.
- **Ultra-Low Power Consumption:** The ePaper consumes power only during updates, resulting in longer battery life and greater energy efficiency.
- **Eye-Friendly and Heat-free:** Eliminate glare, providing a comfortable viewing experience while remaining cool without generating heat.

Seamless Setup and Customization for Your ePaper Display

This ePaper display is designed to work seamlessly with any standard 40-pin driver board. We recommend the [XIAO ePaper Display Board EE04](#) or [XIAO ePaper Display Board EE05](#).

To make things even easier, we're introducing [SenseCraft HMI](#)—a no-code, AI-powered platform that allows you to quickly design and customize your user interface. Drag and drop elements, choose templates, or let AI generate the perfect layout for you. Get started today and create your ideal display experience with ease!

Product Gallery




Specification

Parameters	Details
Driver IC	SSD1680
Type	Dot Matrix

Size	2.13 inch
Active Area(mm)	48.55 x 23.7046
Resolution	122 x 250 pixels
Pixel Pitch(mm)	0.1943 x 0.1942
Display Color	Black, White, Yellow and Red
Interface	SPI
Connector	24 Pin FPC, 0.5mm Pitch
Viewing Angle	>170°
Operating Voltage	3.3V
Operating Temperature	0-40°C
Driver Mode	Support XIAO/Arduino/MicroPython
Drawing	Support GUI Drawing
Power Consumption	9.9mW (typ.)
Standby Consumption	0.003mW
Outline Dimension(mm)	59.2 x 29.2 x 1.00
Weight	3.2g

Hardware Overview



Applications

- Reading equipment
- Mobile device
- Electronic tags and price tags
- Smart Wearables
- Electronic Shelf Labels
- Smart Card

Product						
Processor	XIAOESP32-S3 Plus	XIAOnRF52840 Plus	XIAOESP32-S3 Plus	XIAOnRF52840 Plus	N/A(Compatible with XIAO Series)	
Compatible Displays	24 Pin ePaper	24 Pin ePaper50 Pin ePaper	24 Pin ePaper			
Battery Connector	JST 2.0mm	JST 2.0mm	JST 2.0mm	/		
Battery Power ON/OFF	√	√	√	/		
Button	1x Reset,3x User	1x Reset,3x User	/			
Extension IO Port	√	/	√			
SenseCraft HMI	√	/	√	/	/	

Product	Name	Resolution	Display Color	Partial Refresh	SenseCraft HMI
		200x200		√	√
		250x122		√	√
		250x122			√
		212x104		√	
		296x128			
		296x128		√	√
		296x128			√
		400x300		√	
		800x480			√
		648x480		√	
		800x480			√
		800x480		√	√
		1404x1872		√	√
		1600x1200			√

Compliance & Logistics

2.13" Quadruple Color ePaper Display	×1
--------------------------------------	----

Resource Links

- <https://www.seeedstudio.com/2-13-Quadruple-Color-ePaper-Display-with-122x250-Pixels-p-5779.html>
- [2.13-inch Quadruple ePaper Display Datasheet](#)

Seeed Technology Co.,Ltd.

9F, Building G3, International E City,
Zhongshanyuan Road, Nanshan, Shenzhen, China

Tel: +86 0755-80695676

Web: www.seeed.cc

Shop: www.seeedstudio.com