Verification of Conformity

The submitted sample of the following equipment has been tested according to the following FCC Rules.

Applicant name & address	:	**Seeed Technology Co.,Ltd 9F,Building G3,TCL International E city,Shuguang Community,Xili street,Nanshan,Shenzhen, Guangdong Province, P.R.C**
Manufacturer name & address	:	**Seeed Technology Co.,Ltd 9F,Building G3,TCL International E city,Shuguang Community,Xili street,Nanshan,Shenzhen, Guangdong Province, P.R.C**
Product	:	**reComputer R1225 LoRaWAN Gateway & Industrial Controller**
Model/Type reference	:	**reComputer R1225 (US915-4G), reComputer R1225 (US915)**
Trade mark	:	**Seeed Studio**
Ratings	:	**DC 9V-36V; AC 12V-24V, 50/60Hz; POE power supply**
Order No. / Report No.	:	**EED32S807843**

Test Standards	**47 CFR FCC Part 15 Subpart B**

This Verification is for the exclusive use of CTI's Client and is provided pursuant to the agreement between CTI and its Client. The observations and test results referenced from this verification are relevant only to the sample tested. This verification by itself does not imply that the material, product, or service is or has ever been under a CTI certification program.

Note 1: This verification is part of the full test report(s) and should be read in conjunction with it.

David Wang

.....

David Wang

Date of Issue: Jun. 29, 2026

Check No.: 5750130426

CENTRE TESTING INTERNATIONAL GROUP CO., LTD.

Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China

www.cti-cert.com E-mail:info@cti-cert.com

Hotline

400-6788-333

TCB

GRANT OF EQUIPMENT AUTHORIZATION

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

IIA Lab Services, LLC
13146 NW 86th Drive Suite 400
Alachua, FL 32615

Date of Grant: 07/09/2026

Application Dated: 07/09/2026

Seeed Technology Co., Ltd.
9F,Building G3,TCL International E city,
Shuguang Community,Xili street,Nanshan,Shenzhen
Shenzhen, 518055
China

Attention: Albert Miao , R&D Director

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER:	Z4T-R1225
Name of Grantee:	Seeed Technology Co., Ltd.
Equipment Class:	**Part 15 Spread Spectrum Transmitter**
Notes:	**reComputer R1225 LoRaWAN Gateway & Industrial**

Grant Notes	FCC Rule Parts	Frequency Range (MHZ)	Output Watts	Frequency Tolerance	Emission Designator
CC	15C	2402.0 - 2480.0	0.0013		

Output Power listed is the maximum conducted output power. The unit must be installed and operated so as to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures, or as evaluated in this filing. End-users must be informed of operating requirements for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.

TCB

GRANT OF EQUIPMENT AUTHORIZATION

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

IIA Lab Services, LLC
13146 NW 86th Drive Suite 400
Alachua, FL 32615

Date of Grant: 07/09/2026

Application Dated: 07/09/2026

Seeed Technology Co., Ltd.
9F,Building G3,TCL International E city,
Shuguang Community,Xili street,Nanshan,Shenzhen
Shenzhen, 518055
China

Attention: Albert Miao , R&D Director

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: Z4T-R1225
Name of Grantee: Seeed Technology Co., Ltd.
Equipment Class: **Digital Transmission System**
Notes: **reComputer R1225 LoRaWAN Gateway & Industrial**

Grant Notes	FCC Rule Parts	Frequency Range (MHZ)	Output Watts	Frequency Tolerance	Emission Designator
CC	15C	2412.0 - 2462.0	0.06		
CC	15C	2402.0 - 2480.0	0.0006		
CC	15C	923.3 - 927.5	0.2222		

Output Power listed is the maximum conducted output power. The unit must be installed and operated so as to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures, or as evaluated in this filing. End-users must be informed of operating requirements for satisfying RF exposure compliance. This device supports 20 and 40 MHz bandwidth modes.

CC: This device is certified pursuant to two different Part 15 rules sections.

TCB

GRANT OF EQUIPMENT AUTHORIZATION

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

IIA Lab Services, LLC
13146 NW 86th Drive Suite 400
Alachua, FL 32615

Date of Grant: 07/09/2026

Application Dated: 07/09/2026

Seeed Technology Co., Ltd.
9F,Building G3,TCL International E city,
Shuguang Community,Xili street,Nanshan,Shenzhen
Shenzhen, 518055
China

Attention: Albert Miao , R&D Director

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER:	Z4T-R1225
Name of Grantee:	Seeed Technology Co., Ltd.
Equipment Class:	**Unlicensed National Information Infrastructure TX**
Notes:	**reComputer R1225 LoRaWAN Gateway & Industrial**

Grant Notes	FCC Rule Parts	Frequency Range (MHZ)	Output Watts	Frequency Tolerance	Emission Designator
CC	15E	5180.0 - 5240.0	0.0148		
CC	15E	5745.0 - 5825.0	0.0146		

Output Power listed is the maximum conducted output power. The unit must be installed and operated so as to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures, or as evaluated in this filing. End-users must be informed of operating requirements for satisfying RF exposure compliance. This device supports 20, 40 and 80 MHz bandwidth modes.

CC: This device is certified pursuant to two different Part 15 rules sections.