Report No.: 18300RC30277301

Test Report

Client Name	:	**Seeed Technology Co., Ltd.**
Client Address	:	**9F, G3 Building, TCL International E City, Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong Province, P.R.C**
Product Name	:	**SenseCAP ONE All-in-One Weather Sensor**
Report Date	:	**July 03, 2023**

Shenzhen Anbotek Compliance Laboratory Limited

Test Report

Applicant	:	Seeed Technology Co., Ltd.
Address	:	9F, G3 Building, TCL International E City, Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong Province, P.R.C

The submitted sample and sample information was/were submitted and identified by/on the behalf of the client

Sample Name	:	SenseCAP ONE All-in-One Weather Sensor
Test Model No.	:	S1100: Temperature sensor、Humidity sensor、Pressure sensor、CO2 sensor、Wind speed sensor、Wind direction sensor、Rainfall sensor、Light sensor、PM25 sensor、PM10 sensor、Noise sensor
Reference Model No.	:	Please refer to the following page(s)
Manufacturer	:	Seeed Technology Co., Ltd.
Supplier	:	Shenzhen Xinxian Technology Co; Limited
Trade Mark	:	Seeed Studio
Sample Received Date	:	June 07, 2023
Testing Period	:	June 19, 2023 to June 29, 2023
Test Requested	:	As specified by client, based on the list published by European chemicals agency (ECHA) for public consultation regarding regulation (EC) No 1907/2006 concerning the REACH, to determine the two hundred and thirty-five (235) Substances of Very High Concern (SVHC) in the selected material of the submitted sample.

Test Method: In-House method-Analyzed by ICP-OES, UV-Vis, HPLC, LC-MS-MS, GC, GC-MS and colorimetric method.

Test Result(s): Please refer to the following page(s).

Summary:

According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope and evaluation screening, the test results of SVHC are >0.1%(w/w) in the articles of the submitted sample: -Lead	WARNING

Edited by Beryl Jian Reviewed by Qin Na Authorized Signatory

Test Report

Reference Model No. :

S1000: Temperature sensor、Humidity sensor、Pressure sensor、CO2 sensor、Wind speed sensor、Wind direction sensor、Rainfall sensor、Light sensor、PM25 sensor、PM10 sensor;
S900: Temperature sensor、Humidity sensor、Pressure sensor、Wind speed sensor、Wind direction sensor、Rainfall sensor、Light sensor、PM25 sensor、PM10 sensor;
S800: Temperature sensor、Humidity sensor、Pressure sensor、Wind speed sensor、Wind direction sensor、PM25 sensor、PM10 sensor、Noise sensor;
S700: Temperature sensor、Humidity sensor、Pressure sensor、Wind speed sensor、Wind direction sensor、Rainfall sensor、Light sensor;
S600: Temperature sensor、Humidity sensor、Pressure sensor、Wind speed sensor、Wind direction sensor、Noise sensor;
S500: Temperature sensor、Humidity sensor、Pressure sensor、Wind speed sensor、Wind direction sensor;
S200-A: Wind speed sensor、Wind direction sensor

Tested Sample/Part Description:

Tested Groups	Description	Photo No.	Component
A#	Metal mixed	1	Silvery metal screw
		3	Metal shell with white coating
		6	Silvery metal shell
		7	Copper-colored metal pin
		11	Copper-colored metal stud
		24	Silvery metal soldering tin
		26	Silvery metal crystal oscillator
		28	Copper-colored metal pin
		30	Silvery metal shell
		35	Silvery metal shell
		36	Copper-colored metal pin
		37	Copper-colored metal shell
		40	Silvery metal shell
		47	Silvery metal nut
		59	Copper-colored metal contact pin
		63	Silvery metal soldering tin
		66	Silvery metal nut
		79	Blue-zinc plated metal screw

Test Report

Tested Groups	Description	Photo No.	Component
A#	Metal mixed	81	Copper-colored metal pin
		84	Copper-colored metal stud
		86	Copper-colored metal stud
		89	Silvery metal shell
		92	Silvery metal shell
		95	Silvery metal shell
		96	Silvery metal shell
		99	Silvery metal shell
		103	Copper-colored metal pin
B#	Nonmetal mixed	2	White label
		4	White plastic sheet
		5	Black rubber ring
		8	Black inner plastic
		9	Black rubber ring
		10	Black plastic ring
		12	White glue
		13	White plastic terminal
		14	Blue plastic jacket
		15	White plastic jacket
		16	Green plastic jacket
		17	Yellow plastic jacket
		18	Gray plastic jacket
		19	Black plastic jacket
		20	Brown plastic jacket
		21	Red plastic jacket
		22	Chip resistor
		23	Green PCB board
		25	Yellow LED
		27	IC
		29	Black inner plastic
		31	Black rubber block
		32	Black plastic jacket
		33	Translucent rubber ring
		34	Black plastic shell
		38	Black plastic shell

Test Report

Tested Groups	Description	Photo No.	Component
B#	Nonmetal mixed	39	Black plastic fan
		41	Yellow plastic jacket
		42	Red plastic jacket
		43	Black plastic jacket
		44	White label
		45	Black rubber ring
		46	Black rubber block
		48	Gray plastic shell
		49	White cotton sheet
		50	Black rubber ring
		51	Green PCB board
		52	Black cotton sheet
		53	Black plastic shell
		54	White plastic jacket
		55	Green plastic jacket
		56	Red plastic jacket
		57	Black plastic jacket
		58	Black plastic port
		60	Gray inductor
		61	Green PCB board
		62	IC
		64	Chip resistor
		65	Black foam block
		67	Blue silicone grease
		68	Yellow FPC
		69	Silvery insulated board
		70	White plastic jacket
		71	Black plastic jacket
		72	Red plastic jacket
		73	Black heat shrink sleeve
		74	Black plastic jacket
		75	White sensor
		76	IC
		77	White plastic switch
		78	Black plastic shell

Test Report

Tested Groups	Description	Photo No.	Component
B#	Nonmetal mixed	80	White LED
		82	Chip diode
		83	IC
		85	Transparent plastic sheet
		87	Black plastic frame
		88	Transparent plastic shell
		90	Black heat shrink sleeve
		91	White label
		93	Chip resistor
		94	White plastic scarfskin
		97	White inner plastic
		98	Black plastic scarfskin
		100	Black inner plastic
		101	Blue plastic shell
		102	Black plastic shell
-	-	6	Silvery metal shell
-	-	7	Copper-colored metal pin
-	-	11	Copper-colored metal stud
-	-	86	Copper-colored metal stud
-	-	99	Silvery metal shell
-	-	103	Copper-colored metal pin

Test Result(s): (Substances in the Candidate List of SVHC)

Tested Groups	Code	Test Item	Report Results (%)
A#	185	Lead	2.8430
	-	Other tested SVHC in Candidate List	N.D.
B#	-	All tested SVHC in Candidate List	N.D.

Test Report

Test Result(s): (Substances in the Candidate List of SVHC)

Photo No.	Code	Test Item	Report Results (%)
6	185	Lead	2.5030
7	185	Lead	3.5840
11	185	Lead	2.6250
86	185	Lead	2.5970
99	185	Lead	2.9720
103	185	Lead	2.5660

Test Report

Attachment (Full list of tested SVHC):

The first: Fifteen Substances of Very High Concern (Released in Oct, 2008)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
1	Bis(tributyltin)oxide (TBTO)	56-35-9	200-268-0	0.005
2	Diarsenic pentaoxide**	1303-28-2	215-116-9	0.01
3	Diarsenic trioxide**	1327-53-3	215-481-4	0.01
4	Triethyl arsenate**	15606-95-8	427-700-2	0.01
5	Lead hydrogen arsenate**	7784-40-9	232-064-2	0.01
6	Cobalt dichloride**	7646-79-9	231-589-4	0.01
7	Sodium dichromate **	7789-12-0, 10588-01-9	234-190-3	0.01
8	Anthracene	120-12-7	204-371-1	0.005
9	4,4'-Diaminodiphenylmethane (MDA)	101-77-9	202-974-4	0.005
10	Dibutyl phthalate (DBP)	84-74-2	201-557-4	0.005
11	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0.005
12	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	201-329-4	0.005
13	Di-2-ethylhexyl phthalate(DEHP)	117-81-7	204-211-0	0.005
14	Hexabromocyclododecane(HBCDD) and all major diastereoisomers identified	25637-99-4, 3194-55-6 (134237-50-6, 134237-51-7, 134237-52-8)	247-148-4, 221-695-9	0.005
15	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	287-476-5	0.01

Test Report

The second: Thirteen Substances of Very High Concern (Released in Jan, 2010 and Mar, 2010)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
16	Anthracene oil	90640-80-5	292-602-7	0.05
17	Anthracene oil, anthracene paste,distn. lights	91995-17-4	295-278-5	0.05
18	Anthracene oil, anthracene paste,anthracene fraction	91995-15-2	295-275-9	0.05
19	Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.05
20	Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.05
21	Pitch, coal tar, high temp.	65996-93-2	266-028-2	0.05
22	Acrylamide	79-06-1	201-173-7	0.01
23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.01
24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.005
25	Lead chromate**	7758-97-6	231-846-0	0.05
26	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) **	12656-85-8	235-759-9	0.05
27	Lead sulfochromate yellow (C.I.Pigment Yellow 34) **	1344-37-2	215-693-7	0.05
28	Tris(2-chloroethyl)phosphate	115-96-8	204-118-5	0.01

The third: Eight Substances of Very High Concern (Released in Jun, 2010)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
29	Trichloroethylene	79-01-6	201-167-4	0.005
30	Boric acid**	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.01
31	Disodium tetraborate, anhydrous**	1330-43-4/ 12179-04-3/ 1303-96-4	215-540-4	0.01
32	Tetraboron disodium heptaoxide, hydrate**	12267-73-1	235-541-3	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
33	Sodium chromate**	7775-11-3	231-889-5	0.01
34	Potassium chromate**	7789-00-6	232-140-5	0.01
35	Ammonium dichromate**	7789-09-5	232-143-1	0.01
36	Potassium dichromate**	7778-50-9	231-906-6	0.01

The fourth: Eight Substances of Very High Concern (Released in Dec, 2010)

Code	Test Item		CAS No.	EC No.	Report Limit (%)
37	Cobalt(II) sulphate**		10124-43-3	233-334-2	0.01
38	Cobalt(II) dinitrate**		10141-05-6	233-402-1	0.01
39	Cobalt(II) carbonate**		513-79-1	208-169-4	0.01
40	Cobalt(II) diacetate**		71-48-7	200-755-8	0.01
41	2-Methoxyethanol		109-86-4	203-713-7	0.005
42	2-Ethoxyethanol		110-80-5	203-804-1	0.005
43	Chromium trioxide**		1333-82-0	215-607-8	0.01
44	Acids generated from chromium trioxide and their oligomers	Chromic acid**	7738-94-5	231-801-5	0.01
		Dichromic acid**	13530-68-2	236-881-5	0.01
		Oligomers of chromic acid and dichromic acid**	--	--	0.01

Test Report

The fifth: Seven Substances of Very High Concern (Released in Jun, 2011)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
45	2-Ethoxyethyl acetate	111-15-9	203-839-2	0.01
46	Strontium chromate**	7789-06-2	232-142-6	0.01
47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters(DHNUP)*	68515-42-4	271-084-6	0.01
48	Hydrazine	7803-57-8/ 302-01-2	206-114-9	0.01
49	1-Methyl-2-pyrrolidone	872-50-4	212-828-1	0.01
50	1,2,3-Trichloropropane	96-18-4	202-486-1	0.01
51	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters,C7-rich(DIHP)	71888-89-6	276-158-1	0.01

The sixth: Twenty Substances of Very High Concern (Released in Dec, 2011)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
52	Dichromium tris(chromate)**	24613-89-6	246-356-2	0.01
53	Potassium hydroxyoctaoxodizincatedichromate**	11103-86-9	234-329-8	0.01
54	Pentazinc chromate octahydroxide**	49663-84-5	256-418-0	0.01
55	Aluminosilicate Refractory Ceramic Fibres (RCF)**	--	--	0.05
56	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)**	--	--	0.05
57	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.01
58	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	204-212-6	0.005
59	2-Methoxyaniline; o-Anisidine	90-04-0	201-963-1	0.005

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
60	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	140-66-9	205-426-2	0.005
61	1,2-Dichloroethane	107-06-2	203-458-1	0.005
62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005
63	Arsenic acid**	7778-39-4	231-901-9	0.01
64	Calcium arsenate**	7778-44-1	231-904-5	0.01
65	Trilead diarsenate**	3687-31-8	222-979-5	0.01
66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005
67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.005
68	Phenolphthalein	77-09-8	201-004-7	0.005
69	Lead diazide Lead azide **	13424-46-9	236-542-1	0.01
70	Lead styphnate**	15245-44-0	239-290-0	0.01
71	Lead dipicrate**	6477-64-1	229-335-2	0.01

The seventh: Thirteen Substances of Very High Concern (Released in Jun, 2012)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
72	1,2-bis(2-methoxyethoxy)ethane(TEGDME; triglyme)	112-49-2	203-977-3	0.01
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01
74	Diboron trioxide**	1303-86-2	215-125-8	0.01
75	Formamide	75-12-7	200-842-0	0.01
76	Lead(II) bis(methanesulfonate) **	17570-76-2	401-750-5	0.01
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine- 2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.01
79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.01
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.01
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	548-62-9	208-953-6	0.01
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl] methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5	219-943-6	0.01
83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4)	6786-83-0	229-851-8	0.01
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1	209-218-2	0.01

Test Report

The eighth: Fifty-four Substances of Very High Concern (Released in Dec, 2012)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
85	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	214-604-9	0.05
86	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.05
87	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.05
88	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.05
89	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.05
90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated -covering well-defined substances and UVCB substances, polymers and homologues	--	--	0.05
91	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	--	--	0.05
92	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.05
93	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	85-42-7 13149-00-3 14166-21-3	201-604-9 236-086-3 238-009-9	0.05

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
94	Hexahydromethylphathalic anhy, Hexahydro-4-methylphathalic anhydride, Hexahydro-1-methylphathalic anhydride, Hexahydro-3-methylphathalic anhydride	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	247-094-1, 243-072-0, 256-356-4, 260-566-1	0.05
95	Methoxy acetic acid	625-45-6	210-894-6	0.05
96	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.05
97	Diisopentylphthalate (DIPP)	605-50-5	210-088-4	0.05
98	n-pentyl-isopentylphthalate	776297-69-9	--	0.05
99	1,2-Diethoxyethane	629-14-1	211-076-1	0.05
100	N,N-dimethylformamide	68-12-2	200-679-5	0.05
101	Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.05
102	Acetic acid, lead salt, basic**	51404-69-4	257-175-3	0.01
103	Basic lead carbonate (trilead bis(carbonate)dihydroxide) **	1319-46-6	215-290-6	0.01
104	Lead oxide sulfate (basic lead sulfate) **	12036-76-9	234-853-7	0.01
105	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate) **	69011-06-9	273-688-5	0.01
106	Dioxobis(stearato)trilead**	12578-12-0	235-702-8	0.01
107	Fatty acids, C16-18, lead salts**	91031-62-8	292-966-7	0.01
108	Lead bis(tetrafluoroborate) **	13814-96-5	237-486-0	0.01
109	Lead cynamidate**	20837-86-9	244-073-9	0.01
110	Lead dinitrate**	10099-74-8	233-245-9	0.01
111	Lead oxide (lead monoxide) **	1317-36-8	215-267-0	0.01
112	Lead tetroxide (orange lead) **	1314-41-6	215-235-6	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
113	Lead titanium trioxide**	12060-00-3	235-038-9	0.01
114	Lead Titanium Zirconium Oxide**	12626-81-2	235-727-4	0.01
115	Pentalead tetraoxide sulphate**	12065-90-6	235-067-7	0.01
116	Pyrochlore, antimony lead yellow**	8012 -00-8	232-382-1	0.01
117	Silicic acid, barium salt, lead-doped**	68784-75-8	272-271-5	0.01
118	Silicic acid, lead salt**	11120-22-2	234-363-3	0.01
119	Sulfurous acid, lead salt, dibasic**	62229-08-7	263-467-1	0.01
120	Tetraethyllead**	78-00-2	201-075-4	0.01
121	Tetralead trioxide sulphate**	12202-17-4	235-380-9	0.01
122	Trilead dioxide phosphonate**	12141-20-7	235-252-2	0.01
123	Furan	110-00-9	203-727-3	0.05
124	Propylene oxide; 1,2-epoxypropane; methyloxirane	75-56-9	200-879-2	0.05
125	Diethyl sulphate	64-67-5	200-589-6	0.05
126	Dimethyl sulphate	77-78-1	201-058-1	0.05
127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxaz olidine	143860-04-2	421-150-7	0.05
128	Dinoseb	88-85-7	201-861-7	0.05
129	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.05
130	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.05
131	4-Aminoazobenzene; 4-Phenylazoaniline	60-09-3	200-453-6	0.05
132	4-methyl-m-phenylenediamine (2,4-toluene-diamine)	95-80-7	202-453-1	0.05
133	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.05
134	Biphenyl-4-ylamine	92-67-1	202-177-1	0.05
135	o-aminoazotoluene	97-56-3	202-591-2	0.05
136	o-Toluidine; 2-Aminotoluene	95-53-4	202-429-0	0.05

Code	Test Item	CAS No.	EC No.	Report Limit (%)
137	N-methylacetamide	79-16-3	201-182-6	0.05
138	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.05

The ninth: Six Substances of Very High Concern (Released in Jun, 2013)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
139	Cadmium **	7440-43-9	231-152-8	0.01
140	Cadmium oxide **	1306-19-0	215-146-2	0.01
141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.01
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol , ethoxylated covering UVCB- and well-defined substances, polymers and homologues]	/	/	0.05
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.01
144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.01

The tenth: Seven Substances of Very High Concern (Released in Dec, 2013)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
145	Cadmium sulphide**	1306-23-6	215-147-8	0.01
146	Dihexyl phthalate	84-75-3	201-559-5	0.01
147	C.I. Direct Red 28	573-58-0	209-358-4	0.01
148	C.I. Direct Black 38	1937-37-7	217-710-3	0.01

Code	Test Item	CAS No.	EC No.	Report Limit (%)
149	2-imidazoline-2-thiol	96-45-7	202-506-9	0.01
150	Lead di(acetate)**	301-04-2	206-104-4	0.01
151	Trixylyl phosphate	25155-23-1	246-677-8	0.01

The eleventh: Four Substances of Very High Concern (Released in Jun, 2014)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.01
153	Cadmium chloride**	10108-64-2	233-296-7	0.01
154	Sodium perborate; perboric acid, sodium salt**	-	239-172-9; 234-390-0	0.01
155	Sodium peroxometaborate**	7632-04-4	231-556-4	0.01

The twelfth: Six Substances of Very High Concern (Released in Dec, 2014)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
156	Cadmium fluoride**	7790-79-6	232-222-0	0.01
157	Cadmium sulphate**	10124-36-4, 31119-53-6	233-331-6	0.01
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	223-346-6	0.05
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-284-8	0.05
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	239-622-4	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	--	0.05

The thirteenth: Two Substances of Very High Concern (Released in Jun, 2015)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters	68515-51-5, 68648-93-1	271-094-0 272-013-1	0.05
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	--	--	0.05

The fourteen: Five Substances of Very High Concern (Released in Dec, 2015)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
164	Nitrobenzene	98-95-3	202-716-0	0.05
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.05
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.05
167	1,3-propanesultone	1120-71-4	214-317-9	0.05

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3	0.05

The fifteen: One Substance of Very High Concern (Released in Jun, 2016)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	200-028-5	0.05

The sixteen: Four Substance of Very High Concern (Released in Jan, 2017)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	201-245-8	0.005
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	206-400-3 - 221-470-5	0.005
172	p-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.005
173	4-heptylphenol, branched and linear (4-HPbl)	-	-	0.005

Test Report

The seventeen: One Substance of Very High Concern (Released in Jul, 2017)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	-	-	0.005

The eighteen: Seven Substances of Very High Concern (Released in Jan, 2018)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (“Dechlorane Plus”TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	-	0.005
176	Benz[a]anthracene	56-55-3, 1718-53-2	200-280-6	0.005
177	Cadmium nitrate**	10022-68-1, 10325-94-7	233-710-6	0.01
178	Cadmium carbonate**	513-78-0	208-168-9	0.01
179	Cadmium hydroxide**	21041-95-2	244-168-5	0.01
180	Chrysene	218-01-9, 1719-03-5	205-923-4	0.005
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	-	0.005

Test Report

The nineteen: Ten Substances of Very High Concern (Released in Jun, 2018)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
182	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.01
183	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.01
184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.01
185	Lead**	7439-92-1	231-100-4	0.01
186	Disodium octaborate**	12008-41-2	234-541-0	0.01
187	Benzo[ghi]perylene	191-24-2	205-883-8	0.01
188	Terphenyl hydrogenated	61788-32-7	262-967-7	0.01
189	Ethylenediamine (EDA)	107-15-3	203-468-6	0.01
190	Trimellitic anhydride (TMA)	552-30-7	209-008-0	0.01
191	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.01

The twenty: Six Substances of Very High Concern (Released in Jan, 2019)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
192	Pyrene	129-00-0	204-927-3	0.01
193	Phenanthrene	85-01-8	201-581-5	0.01
194	Fluoranthene	206-44-0	205-912-4	0.01
195	Benzo[k]fluoranthene	207-08-9	205-916-6	0.01
196	2,2-bis(4'-hydroxyphenyl)-4-methylpentane (Bisphenol P)	6807-17-6	401-720-1	0.01
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor; 3-BC)	15087-24-8	239-139-9	0.01

Test Report

The twenty one: Four Substances of Very High Concern (Released in July, 2019)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-	-	0.01
199	4-tert-butylphenol	98-54-4	202-679-0	0.01
200	2-methoxyethyl acetate	110-49-6	203-772-9	0.01
201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	-	0.01

The twenty two: Four Substances of Very High Concern (Released in Jan, 2020)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.01
203	2-methyl-1- (4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.01
204	Diisohexyl phthalate	71850-09-4	276-090-2	0.01
205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	-	0.01

Test Report

The twenty three: Four Substances of Very High Concern (Released in June 2020)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
206	1-vinylimidazole	1072-63-5	214-012-0	0.01
207	2-methylimidazole	693-98-1	211-765-7	0.01
208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.01
209	Dibutylbis(pentane-2,4-dionato-O,O') tin	22673-19-4	245-152-0	0.01

The twenty four: Two Substances of Very High Concern (Released in Jan. 2021)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.01
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-	-	0.01

The twenty five: Eight Substances of Very High Concern. (Released in July. 2021)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
212	1,4-dioxane	123-91-1	204-661-8	0.01
213	2,2-bis(bromomethyl) propane1,3-diol (BMP)	3296-90-0	221-967-7	0.01
	2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA)	36483-57-5/ 1522-92-5	253-057-0	0.01
	2,3-dibromo-1-propanol (2,3-DBPA)	96-13-9	202-480-9	0.01

Code	Test Item	CAS No.	EC No.	Report Limit (%)
214	2-(4-tert-butylbenzyl) propionaldehyde and its individual stereoisomers	-	-	0.01
215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.01
216	Glutaral	111-30-8	203-856-5	0.01
217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	-	0.01
218	Orthoboric acid, sodium salt**	13840-56-7	237-560-2	0.01
219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual（PDDP)	-	-	0.01

The twenty six: Four Substances of Very High Concern (Released in Jan. 2022)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	-	0.01
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1	204-327-1	0.01
222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01

The twenty seven: One Substances of Very High Concern (Released in June, 2022)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01

The Twenty-eight: Nine Substances of Very High Concern (Released in Jan, 2023)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.01
226	2,2',6,6'-tetrabromo-4,4'-isopropylidene diphenol	79-94-7	201-236-9	0.01
227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.01
228	Barium diboron tetraoxide**	13701-59-2	237-222-4	0.01
229	bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	-	0.01
230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01
231	Melamine	108-78-1	203-615-4	0.01
232	Perfluoroheptanoic acid and its salts	-	-	0.01
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	-	473-390-7	0.01

Test Report

The Twenty-nine: Two Substances of Very High Concern (Released in June, 2023)

Code	Test Item	CAS No.	EC No.	Report Limit/ (%)
234	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.01
235	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	278-355-8	0.01

Note:

1. mg/kg =ppm=10^{-6}
2. %=w/w
3. N.D. :< Report Limit
4. * The detected DHNUP are consisted of six phthalates which CAS number are 85507-79-5, 68515-44-6, 68515-45-7, 111381-89-6, 111381-90-9 and 111381-91-0. according to the Annex 15 of REACH.
5. ** According to the 5.2.1 item of the second version of ECHA “Guidance on requirements for substances in articles”, 2011, the selected test methods only show the existence of certain elements rather than the existence of substances, using additional measurements to screen for the existence and identification of substances in a sample when necessary.
6. Report Results: based on measurements in most cases will identify the chemical constituents in the sample but not necessarily “the substance” which were originally used to produce the article, professional consults, products information, testing processes, features of materials, characteristics of the SVHC and chemical analysis etc to obtain the assessments results according to the 5.2 item of the second version of ECHA “Guidance on requirements for substances in articles”, 2011.
7. Report Limit: Be obtained from the uncertainty, the 0.1 % threshold and the ECHA “Guidance on requirements for substances in articles”.
8. #: According to the applicant's request, the admixture of specimen A/B are tested as a whole. The testing results of specimen A/B may be different from that of any sole material in specimen A/B.

Test Report

Appendix:

1. Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1 % weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

1) Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.

2) On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.

2. The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 31 and Annex II of REACH.


3. The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.


1) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives 1999/45/EC.

2) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC, but contains any substance that is included in the Candidate List in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures or ≥ 0.2 % by volume for gaseous mixtures.

Photograph of Sample












Weather Sensor
Compact Weather Sensor
Anbotek
Product Safety
安博检测


Compact Weather Sensor
Anbotek
Product Safety
安博检测



Compact Weather Sensor
Anbotek
Product Safety
安博检测



Compact Weather Sensor
Anbotek
Product Safety
安博检测



Compact Weather Sensor
Anbotek
Product Safety
安博检测



NORTH
3
2
1
seeed studio
MADE IN CHINA



4
5


7
8
6



10
9
12
11



14
13
15
16
17
18
19
20
21



24
22
23
27
26
25



28
29
30



31
32



34
33



35
36
37
38
80-11-1202



39
40



41
42
43
44
PLANTOWER
10820F



45
46
47
48
49



50
51



52
53



57
55
56
54



58
59
60
61



63
62
Driver Board
v2.0 03/03/23



65
64



66
69
68
67
70
71
72
73



74
75



76



79
77
78
REV C
RST
3.3V
1 0 SI MCLR
7/2020



80
81
82
83


84
85


86
87
88


89
90
91
噪音传感器模块
型号：BYZ08
供电：5VDC
输出：TTL
量程：35-100dB
BYZ082212172335


92
93


94
95
96
97


98
99
100


101
102
103

Test Report

The following photos are provided by the applicant





***** End of Report *****

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of Anbotek, this report can't be reproduced except in full.