

**TCB****GRANT OF EQUIPMENT  
AUTHORIZATION****TCB****Certification**

**Issued Under the Authority of the  
Federal Communications Commission**  
**By:**

**DERYCOM CERTIFICATION SERVICES,  
INC.  
1100 Falcon Avenue  
Glencoe, MN 55336**

**Date of Grant: 04/28/2025****Application Dated: 04/28/2025**

**Seeed Technology Co., Ltd.  
9F, G3 Building, TCL International E City,  
Zhongshanyuan Road, Nanshan District  
Shenzhen, 518055  
China**

**Attention: Albert Miao , R&D Director**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER: Z4T-XIAOESP32S3P**

**Name of Grantee: Seeed Technology Co., Ltd.**

**Equipment Class: Digital Transmission System**

**Notes: Seeed Studio XIAO ESP32S3 Plus/Seeed Studio  
XIAO ESP32S3 Sense Plus**

**Modular Type: Single Modular**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHz)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	2402.0 - 2480.0	0.0007		
	15C	2412.0 - 2462.0	0.0385		

Single Modular Approval. Output power listed is conducted power. The antenna used with this transmitter must be installed to provide a minimum separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users must be provided with operating procedures for satisfying RF exposure compliance. OEM integrators must be provided with antenna installation instructions. The OEM integrators must be instructed to ensure that the end user has no manual instructions to remove or install the device. OEM integrators and end-users must be provided with transmitter operation conditions for satisfying RF exposure compliance. Only the antenna tested with the device or similar antennas with equal or lesser gain may be used with this transmitter.