


1	2	3	4	5	6
A					
B					
C					
D					

01 Descriptions



文件: 01 Descriptions.kicad_sch

02 XIAO Header & nRF52840



文件: 02 XIAO Header & nRF52840.kicad_sch



Sheet: /		
File: Seeed Studio XIAO nRF52840 v1.2.kicad_sch		
Title: XIAO nRF52840		
Size: A4	Date: 2026-08-28	Rev: V1.2
KiCad E.D.A. 10.0.0-19-g65df3ab11c		Id: 1/3

CC BY-SA 4.0

REV	Description	DATE	BY
v1.0	Initail Version	2021.2.2	zhihual.Zhou
v1.1	1.Change 32M Crystal 2.Change C32,C33 to 15pF	2024.3.19	Linus.Liao
v1.2	1.Change U7 value from DNP to 16Mbit SPI Flash 2.Remove DNP attribute from U7 3.Align U7 assembly status with BOM B.2	2026.8.28	Qihao.Liu

seeed studio

Sheet: /01 Descriptions/
File: 01 Descriptions.kicad_sch

Title: XIAO nRF52840

Size: A4 Date: 2026-08-28


KiCad E.D.A. 10.0.0-19-g65df3ab11c

Rev: V1.2


Id: 2/3

CC BY-SA 4.0


USB-C




MIC




FLASH




System 3.3V




nRF52840




XIAO




Battery charge




LED



Sensor



RESET



seeed studio

Sheet: /02 XIAO Header & nRF52840/
File: 02 XIAO Header & nRF52840.kicad_sch

Title: XIAO nRF52840

Size: A3 Date: 2026-08-28

KiCad E.D.A. 10.0.0-19-g65df3ab11c

Rev: V1.2

Id: 3/3

CC BY-SA 4.0