

TEST REPORT

Applicant Name : Seeed Technology Co., Ltd
Address : 9F, G3 Building, TCL International E City, Zhongshanyuan Road,
Nanshan District, Shenzhen, Guangdong Province, P.R.C
Report Number : SZNS1220114-02176E-EM-01

Test Standard (s)

EN 55032: 2015/A1:2020
EN 55035: 2017/A11:2020

Sample Description

Product: XIAO nRF52840 Sense
Trademark: Seeed Studio
Tested Model: XIAO-nRF52840 Sense
Multiple Product: XIAO nRF52840
Multiple Model: XIAO-nRF52840
Date Received: 2022-01-14
Date of Test: 2022-01-17 to 2022-01-21
Report Date: 2022-03-14

Test Result:

Pass*

* In the configuration tested, the EUT complied with the standards above.

Prepared and Checked By:

Approved By:



Icey Huang
Engineer

Candy Li
EMC Engineer

Note: This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk "*".

Shenzhen Accurate Technology Co., Ltd. is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with an asterisk "**". Customer model name, addresses, names, trademarks etc. are not considered data.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Shenzhen Accurate Technology Co., Ltd.

1/F., Building A, Changyuan New Material Port, Science & Industry Park, Nanshan District, Shenzhen, Guangdong, P.R. China

Tel: +86 755-26503290

Fax: +86 755-26503396

Web: www.atc-lab.com

TABLE OF CONTENTS

GENERAL INFORMATION	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
PERFORMANCE CRITERION	4
TEST METHODOLOGY	5
TEST FACILITY	5
MEASUREMENT UNCERTAINTY	6
SYSTEM TEST CONFIGURATION	7
JUSTIFICATION	7
EUT EXERCISE SOFTWARE	7
EQUIPMENT MODIFICATIONS	7
SUPPORT EQUIPMENT LIST AND DETAILS	7
EXTERNAL I/O CABLE	7
BLOCK DIAGRAM OF TEST SETUP	8
SUMMARY OF TEST REPORT	9
TEST EQUIPMENT LIST	10
EN 55032 §A.3 - CONDUCTED DISTURBANCE	11
APPLICABLE STANDARD	11
TEST SYSTEM SETUP	11
EMI TEST RECEIVER SETUP	11
TEST PROCEDURE	12
CORRECTED FACTOR & MARGIN CALCULATION	12
TEST RESULTS	12
TEST DATA	12
EN 55032 §A.2-RADIATED DISTURBANCE	13
APPLICABLE STANDARD	13
TEST SYSTEM SETUP	13
EMI TEST RECEIVER SETUP	14
TEST PROCEDURE	14
CORRECTED AMPLITUDE & MARGIN CALCULATION	14
TEST RESULTS SUMMARY	14
TEST DATA	14
EN 55035 §4.2.1-ELECTROSTATIC DISCHARGES (IEC 61000-4-2)	19
TEST SYSTEM SETUP	19
TEST STANDARD	19
TEST PROCEDURE	20
TEST DATA	20
EN 55035 §4.2.2.2-CONTINUOUS RADIATED IMMUNITY (IEC 61000-4-3)	24
TEST SYSTEM SETUP	24
TEST STANDARD	24
TEST PROCEDURE	25
TEST DATA	25
EN 55035 §4.2.2.3-CONTINUOUS CONDUCTED IMMUNITY (IEC 61000-4-6)	27
TEST SETUP	27

TEST STANDARD	27
TEST PROCEDURE	27
TEST DATA	27
EN 55035 §4.2.3-POWER FREQUENCY MAGNETIC FIELDS (IEC 61000-4-8).....	28
TEST SETUP.....	28
TEST STANDARD	28
TEST PROCEDURE	28
TEST DATA AND SETUP PHOTO	29
EN 55035 §4.2.4-ELECTRICAL FAST TRANSIENTS (IEC 61000-4-4)	30
TEST SYSTEM SETUP.....	30
TEST STANDARD	30
TEST PROCEDURE	30
TEST DATA	30
EN 55035 §4.2.5-SURGES (IEC 61000-4-5)	31
TEST SYSTEM SETUP.....	31
TEST STANDARD	31
TEST PROCEDURE	31
TEST DATA	31
EN 55035 §4.2.6-VOLTAGE DIPS AND INTERRUPTIONS (IEC 61000-4-11).....	32
TEST SETUP.....	32
TEST STANDARD	32
TEST PROCEDURE	32
TEST DATA	32
EN IEC 61000-3-2 – HARMONIC CURRENT EMISSIONS	33
EN 61000-3-3– VOLTAGE FLUCTUATION AND FLICKER.....	34
TEST SYSTEM SETUP.....	34
TEST STANDARD	34
TEST DATA	35
EXHIBIT A - EUT PHOTOGRAPHS.....	36

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Product	XIAO nRF52840 Sense
Tested Model	XIAO-nRF52840 Sense
Multiple Product	XIAO nRF52840
Multiple Model	XIAO-nRF52840
Trademark	Seeed Studio
Model difference	There are two kinds of samples, the difference between them is that: XIAO nRF52840 Sense has attached microphone, but XIAO nRF52840 has not.
Voltage Range	DC 5 V from type C port
Highest operating frequency	2480MHz
Equipment Class	Class B
Sample serial number	SZNS1220114-02176E-EM-S1
Sample/EUT Status	Good condition

Objective

This test report is in accordance with EN 55032: 2015/A1:2020: Electromagnetic compatibility of multimedia equipment -Emission Requirements. EN 55035: 2017/A11:2020: Electromagnetic compatibility of multimedia equipment -Immunity requirements.

The objective is to determine the compliance of EUT with EN 55032: 2015/A1:2020, EN 55035: 2017/A11:2020.

Performance criterion

Performance criterion A

The equipment shall continue to operate as intended without operator intervention. No degradation of performance, loss of function or change of operating state is allowed below a performance level specified by the manufacturer when the equipment is used as intended.

The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.

Performance criterion B

During the application of the disturbance, degradation of performance is allowed. However, no unintended change of actual operating state or stored data is allowed to persist after the test. After the test, the equipment shall continue to operate as intended without operator intervention; no degradation of performance or loss of function is allowed, below a performance level specified by the manufacturer, when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level (or the permissible performance loss), or recovery time, is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.

Performance criterion C

Loss of function is allowed, provided the function is self-recoverable, or can be restored by the operation of the controls by the user in accordance with the manufacturer's instructions. A reboot or re-start operation is allowed.

Information stored in non-volatile memory, or protected by a battery backup, shall not be lost.

Test Methodology

All measurements contained in this report were conducted with CISPR 16-1-1:2010+A1:2010+A2:2014, specification for radio disturbance and immunity measuring apparatus and methods P1-1: radio disturbance and immunity measuring apparatus measuring apparatus. CISPR16-1-4:2010+A1:2012, Specification for radio disturbance and immunity measuring apparatus and methods-Part 1-4: Radio disturbance and immunity measuring apparatus -Ancillary equipment -Radiated disturbances. CISPR 16-2-1:2014, specification for radio disturbance and immunity measuring apparatus and methods P2-1: methods of measurement of disturbance and immunity conducted disturbance measurements. CISPR 16-2-3:2010+A1:2010+A2:2014, specification for radio disturbance and immunity measuring apparatus and methods P2-3 methods of measurement of disturbances and immunity radiated disturbance measurements. CISPR 16-4-2:2011, Specification for radio disturbance and immunity measuring apparatus and methods-Part 4-2: Uncertainties, statistics and limit modeling-Uncertainty in EMC measurements.

Test Facility

Name of Firm: Shenzhen Accurate Technology Co., Ltd

Site Location: 1/F., Building A, Changyuan New Material Port, Science & Industry Park, Nanshan District, Shenzhen, Guangdong, P.R. China

Measurement Uncertainty

All measurements involve certain levels of uncertainties, especially in field of EMC. The factors contributing to uncertainties are spectrum analyzer, cable loss, antenna factor calibration, antenna directivity, antenna factor variation with height, antenna phase center variation, antenna factor frequency interpolation, measurement distance variation, site imperfections, mismatch (average), and system repeatability.

Based on CISPR 16-4-2:2011, the expended combined standard uncertainty of test at Shenzhen Accurate Technology Co., Ltd. is shown as below. And the uncertainty will be taken into consideration for the test data recorded in the report

Item		Expanded Measurement uncertainty
Conducted Emissions	AC Mains	2.72 dB ($k=2$, 95% level of confidence)
Radiated emission	30MHz-1GHz	4.28 dB ($k=2$, 95% level of confidence)
	1GHz-18GHz	4.98 dB ($k=2$, 95% level of confidence)

Note: The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

SYSTEM TEST CONFIGURATION

Justification

The system was configured for testing in normal mode.

Test Mode: Running

Note: The EUT will run RE program automatically after power it

EUT exercise software

No exercise software was used.

Equipment Modifications

No modification was made to the EUT tested.

Support Equipment List and Details


Manufacturer	Description	Model	Rating
Lenovo	Laptop	ThinkPad X240	INPUT:DC20V, 2.25A/3.25A/4.5A

External I/O Cable

N/A

Block Diagram of Test Setup

For Radiated emission:



SUMMARY OF TEST REPORT

EN 55032

RULE	DESCRIPTION	RESULTS
§ A.3	Conducted Disturbance at Mains Terminals	Not Applicable
§ A.2	Radiated Disturbance	Compliant

EN 55035

RULE	DESCRIPTION	RESULTS
§4.2.1	Electrostatic Discharge IEC 61000-4-2	Compliant
§4.2.2.2	Continuous Radiated Immunity IEC 61000-4-3	Compliant
§4.2.2.3	Continuous Conducted Immunity IEC 61000-4-6	Not Applicable
§4.2.3	Power Frequency Magnetic Fields IEC 61000-4-8	Compliant
§4.2.4	Electrical Fast Transients IEC 61000-4-4	Not Applicable
§4.2.5	Surges IEC 61000-4-5	Not Applicable
§4.2.6	Voltage Dips And Interruptions, IEC 61000-4-11	Not Applicable
§4.2.7	Broadband impulsive conducted disturbances	Not Applicable

EN IEC 61000-3-2:

Rule	Description	Results
§7	Harmonic Current Emissions	Not Applicable

EN 61000-3-3:

Rule	Description	Results
§5	Voltage Fluctuation and Flicker	Not Applicable

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
EMI					
Rohde& Schwarz	Test Receiver	ESR	102725	2021/12/13	2022/12/12
SONOMA INSTRUMENT	Amplifier	310 N	186131	2021/11/09	2022/11/08
A.H. Systems, inc.	Preamplifier	PAM-0118P	135	2021/11/09	2022/11/08
Schwarzbeck	Bilog Antenna	VULB9163	9163-323	2021/07/06	2024/07/05
Schwarzbeck	Horn Antenna	BBHA9120D	9120D-1067	2020/01/05	2023/01/04
Unknown	RF Coaxial Cable	No.10	N050	2021/12/14	2022/12/13
Unknown	RF Coaxial Cable	No.11	N1000	2021/12/14	2022/12/13
Unknown	RF Coaxial Cable	No.12	N040	2021/12/14	2022/12/13
Unknown	RF Coaxial Cable	No.13	N300	2021/12/14	2022/12/13
Unknown	RF Coaxial Cable	No.14	N800	2021/12/14	2022/12/13
Radiated Emission Test Software: e3 19821b (V9)					
ESD/PFMF/ RS					
TESEQ	ESD Generator	NSG 437	823	2021/12/17	2022/12/16
HAEFELY	Magnetic Field Tester	MAG100	150577	2021/12/13	2022/12/12
Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
TESEQ	RF-Generator	ITS 6006	37538	2021/12/13	2022/12/12
TESEQ	Power Amplifier (80 – 1000MHz)	CBA 1G-070	T44328	NCR	NCR
A&R	Linear Power Amplifier (1 – 6GHz)	AS0860-40/45	1060913	NCR	NCR
A&R	Trapezoidal Log Periodic Antenna	ATT700M12G	0357149	NCR	NCR
A&R	Log-Periodic Antenna	ATL80M1G	0356913	NCR	NCR
TESEQ	Power Meter	PM6006	73801	2020/12/24	2021/12/23


* **Statement of Traceability:** Shenzhen Accurate Technology Co., Ltd. attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

EN 55032 §A.3 - CONDUCTED DISTURBANCE

Applicable Standard

According to EN 55032 §A.3

Test System Setup



- Note: 1. Support units were connected to second LISN.
 2. Both of LISNs (AMN) 80 cm from EUT and at the least 80 cm from other units and other metal planes support units.

The measurement procedure of EUT setup is in according with CISPR 16-1-1:2010+A1:2010+A2:2014, CISPR 16-2-1:2014. The related limit was specified in the EN 55032.

The external I/O cables were draped along the test table and formed a bundle 30 to 40 cm long in the middle.

The spacing between the peripherals was 10 cm.

EMI Test Receiver Setup

The EMI test receiver was set to investigate the spectrum from 150 kHz to 30 MHz.

During the conducted emission test, the EMI test receiver was set with the following configurations:

Frequency Range	IF B/W
150 kHz – 30 MHz	9 kHz

Test Procedure

Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance using all installation combination.

All final data was recorded in the Quasi-peak and average detection mode.

Corrected Factor & Margin Calculation

The Transd factor is calculated by adding LISN VDF (Voltage Division Factor), Cable Loss and Transient Limiter Attenuation. The basic equation is as follows:

$$\text{Transd Factor} = \text{LISN VDF} + \text{Cable Loss}$$

The “**Over Limit**” column of the following data tables indicates the degree of compliance with the applicable limit. For example, a margin of -7 dB means the emission is 7 dB below the limit. The equation for margin calculation is as follows:

$$\begin{aligned} \text{Over Limit} &= \text{Level} - \text{Limit} \\ \text{Level} &= \text{reading level} + \text{Transd Factor} \end{aligned}$$

Test Results

The EUT is powered by computer.



Measurements to demonstrate compliance with the conducted limits are not required for devices which do not operate from the AC power lines.

Test Data

N/A.

EN 55032 §A.2-RADIATED DISTURBANCE**Applicable Standard**

EN 55032 §A.2

Test System Setup**Below 1 GHz:****Above 1GHz:**

The radiated emission tests were performed in the 3 meters chamber test site, using the setup accordance with the CISPR16-1-4:2010+A1:2012, CISPR 16-2-3:2010+A1:2010+A2:2014. The limit was specified in EN 55032.

The external I/O cables were draped along the test table and formed a bundle 30 to 40 cm long in the middle.

The spacing between the peripherals was 10 cm.

EMI Test Receiver Setup

During the radiated emission test, the EMI test receiver Setup was set with the following configurations:

Frequency Range	RBW	Video B/W	IF B/W	Measurement
30 MHz – 1000 MHz	100 kHz	300 kHz	120 kHz	QP
1 GHz~6 GHz	1 MHz	3 MHz	/	Peak
1 GHz~6 GHz	1 MHz	10 Hz	/	Average

Test Procedure

Maximizing procedure was performed on the highest emissions to ensure that the EUT complied with all installation combinations.

Corrected Amplitude & Margin Calculation

The Corrected Amplitude is calculated by adding the Antenna Factor and Cable Loss, and subtracting the Amplifier Gain from the Meter Reading. The basic equation is as follows:

$$\text{Factor} = \text{Antenna Factor} + \text{Cable Loss} - \text{Amplifier Gain}$$

The “**Margin**” column of the following data tables indicates the degree of compliance with the applicable limit. For example, a margin of -7 dB means the emission is 7 dB below the limit for Class B. The equation for margin calculation is as follows:

$$\begin{aligned} \text{Over Limit} &= \text{Level} - \text{Limit} \\ \text{Level} &= \text{Read Level} + \text{Factor} \end{aligned}$$

Test Results Summary

According to the data in the following table, the EUT complied with the limit of EN 55032.

Test Data


Environmental Conditions

Temperature:	22°C
Relative Humidity:	60%
ATM Pressure:	101.0 kPa

The testing was performed by Bin Deng on 2021-01-18.

30 MHz-1 GHz:


Horizontal



Site : chamber
 Condition: 3m HORIZONTAL
 Job No. : SZNS1220114-02176E-EM
 Test Mode: Running

	Freq	Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	59.675	-10.50	31.02	20.52	40.00	-19.48	Peak
2	101.734	-11.60	31.40	19.80	40.00	-20.20	Peak
3	140.712	-15.49	36.72	21.23	40.00	-18.77	Peak
4	232.430	-11.03	35.59	24.56	47.00	-22.44	Peak
5	340.782	-7.40	41.78	34.38	47.00	-12.62	Peak
6	714.173	-1.35	33.15	31.80	47.00	-15.20	Peak

Vertical




Site : chamber
 Condition: 3m VERTICAL
 Job No. : SZNS1220114-02176E-EM
 Test Mode: Running

	Freq	Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	48.565	-9.97	30.37	20.40	40.00	-19.60	Peak
2	104.307	-11.77	30.48	18.71	40.00	-21.29	Peak
3	137.963	-15.35	37.18	21.83	40.00	-18.17	Peak
4	199.373	-11.44	33.04	21.60	40.00	-18.40	Peak
5	561.677	-3.99	31.66	27.67	47.00	-19.33	Peak
6	800.031	-0.35	34.71	34.36	47.00	-12.64	Peak

**1-6 GHz:
Test mode 1**


Horizontal



Site : chamber
 Condition: 3m HORIZONTAL
 Job No. : SZNS1220114-02176E-EM
 Test Mode: Running

	Freq	Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1596.111	-9.04	57.27	48.23	74.00	-25.77	Peak
2	2282.222	-7.24	52.33	45.09	74.00	-28.91	Peak
3	2402.222	-7.23	57.13	49.90	74.00	-24.10	Peak
4	2480.278	-7.21	55.54	48.33	74.00	-25.67	Peak
5	4128.889	-5.21	52.08	46.87	74.00	-27.13	Peak
6	4990.833	-2.92	51.71	48.79	74.00	-25.21	Peak

Vertical



Site : chamber
 Condition: 3m VERTICAL
 Job No. : SZNS1220114-02176E-EM
 Test Mode: Running


	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	1596.667	-9.03	58.00	48.97	74.00	-25.03	Peak
2	1933.056	-7.76	55.00	47.24	74.00	-26.76	Peak
3	2402.222	-7.23	56.41	49.18	74.00	-24.82	Peak
4	3289.444	-5.95	51.26	45.31	74.00	-28.69	Peak
5	4185.278	-5.10	52.06	46.96	74.00	-27.04	Peak
6	5790.833	-1.84	53.34	51.50	74.00	-22.50	Peak

Note:

- 1) Result = Reading + Factor
- 2) Margin = Limit - Result

EN 55035 §4.2.1-ELECTROSTATIC DISCHARGES (IEC 61000-4-2)

Test System Setup



IEC 61000-4-2 specifies that a tabletop EUT shall be placed on a non-conducting table which is 80 centimeters above a ground reference plane and that floor mounted equipment shall be placed on a insulating support approximately 10 centimeters above a ground plane. During the tests, the EUT is positioned over a ground reference plane in conformance with this requirement.

For tabletop equipment, a 1.6 by 0.8-meter metal sheet (HCP) is placed on the table and connected to the ground plane via a metal strap with two 470 k Ohms resistors in series. The EUT and attached cables are isolated from this metal sheet by *0.5-millimeter* thick insulating material. A Vertical Coupling Plane (VCP) grounded on the ground plane through the same configuration as in the HCP is used.

Test Standard

EN 55035:2017 (IEC 61000-4-2:2008)

Test Level

Level	Test Voltage Contact Discharge (\pm kV)	Test Voltage Air Discharge (\pm kV)
1.	2	2
2.	4	4
3.	6	8
4.	8	15
X.	Special	Special

Performance criterion: B

Test Procedure

Air Discharge:

This test is done on a non-conductive surface. The round discharge tip of the discharge electrode shall be approached as fast as possible to touch the EUT. After each discharge, the discharge electrode shall be removed from the EUT. The generator is then re-triggered for a new single discharge and repeated 10 times for each pre-selected test point. This procedure shall be repeated until all the air discharge completed.

Contact Discharge:

All the procedure shall be same as Section 8.3.1 of IEC 61000-4-2, except that the tip of the discharge electrode shall touch the EUT before the discharge switch is operated.

Indirect discharge for horizontal coupling plane

At least 10 single discharges shall be applied to the horizontal coupling plane, at points on each side of the EUT. The discharge electrode positions vertically at a distance of 0.1 m from the EUT and with the discharge electrode touching the coupling plane.

Indirect discharge for vertical coupling plane

At least 10 single discharges shall be applied to the center of one vertical edge of the coupling plane. The coupling plane, of dimensions 0.5m × 0.5m, is placed parallel to, and positioned at a distance of 0.1m from the EUT. Discharges shall be applied to the coupling plane, with this plane in sufficient different positions that the four faces of the EUT are completely illuminated.

Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	49 %
ATM Pressure:	101.0 kPa

The testing was performed by Caro Hu on 2022-01-20

Table 1: Electrostatic Discharge Immunity (Air Discharge)

EN 61000-4-2 Test Points Location	Test Levels							
	-2 kV	+2 kV	-4 kV	+4 kV	-8 kV	+8 kV	-15 kV	+15 kV
/	/	/	/	/	/	/	/	/

Table 2: Electrostatic Discharge Immunity (Direct Contact)


EN 61000-4-2 Test Points Location	Test Levels							
	-2 kV	+2 kV	-4 kV	+4 kV	-6 kV	+6 kV	-8 kV	+8 kV
Type C Interface	/	/	A	A	/	/	/	/

Table 3: Electrostatic Discharge Immunity (Indirect Contact HCP)

EN 61000-4-2 Test Points Location	Test Levels							
	-2 kV	+2 kV	-4 kV	+4 kV	-6 kV	+6 kV	-8 kV	+8 kV
HCP	/	/	A	A	/	/	/	/

Table 4: Electrostatic Discharge Immunity (Indirect Contact VCP)

EN 61000-4-2 Test Points Location	Test Levels							
	-2 kV	+2 kV	-4 kV	+4 kV	-6 kV	+6 kV	-8 kV	+8 kV
Front Side	/	/	A	A	/	/	/	/
Back Side	/	/	A	A	/	/	/	/
Left Side	/	/	A	A	/	/	/	/
Right Side	/	/	A	A	/	/	/	/




Note: → represents direct contact discharges.
→ No air discharges.



Test Setup Photo

EN 55035 §4.2.2.2-CONTINUOUS RADIATED IMMUNITY (IEC 61000-4-3)

Test System Setup



Test Standard

EN 55035:2017 (IEC 61000-4-3: 2006 + A1:2007 + A2:2010)

Test Level

Level	Field Strength V/m
1.	1
2.	3
3.	10
X.	Special

Performance Criterion: A

Test Procedure

The EUT and its simulators are placed on a turn table which is 0.8 meter above the ground. The EUT is set 3 meters away from the transmitting antenna which is mounted on an antenna tower. Both horizontal and vertical polarizations of the antenna are set on test. Each of the four sides of EUT must be faced this transmitting antenna and measured individually.

In order to judge the EUT performance, a CCD camera was used to monitor the EUT.

All the scanning conditions are as follows:

Condition of Test	Remarks
1. Field Strength	3 V/m (Test level 2)
2. Radiated Signal	AM 80%, 1 kHz Modulation
3. Scanning Frequency	80 – 1000 MHz, 1800MHz, 2600MHz, 3500MHz, 5000MHz
4. Frequency step	1%
5. Dwell Time	1 sec.

Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	49 %
ATM Pressure:	101.0 kPa

The testing was performed by Caro Hu on 2022-01-20.

Table 1: Radiated RF-Electromagnetic Field Immunity

Frequency Range (MHz)	Front Side		Rear Side		Left Side		Right Side	
	VERT	HORI	VERT	HORI	VERT	HORI	VERT	HORI
80-1000	A	A	A	A	A	A	A	A

Table 2: Radiated RF-Electromagnetic Field Immunity

Spot Test (MHz)	Front Side		Rear Side		Left Side		Right Side	
	VERT	HORI	VERT	HORI	VERT	HORI	VERT	HORI
1800, 2600, 3500, 5000	A	A	A	A	A	A	A	A


Note: "A" stand for, during test, operate as intended No loss function, and after test, operate as intended.



Test Setup Photo

EN 55035 §4.2.2.3-CONTINUOUS CONDUCTED IMMUNITY (IEC 61000-4-6)

Test Setup



Test Standard

EN 55035:2017 (IEC 61000-4-6:2008)

Test Level

Frequency(MHz)	Voltage Level (r.m.s.) (V)
0.15 to 10	3
10 to 30	3 to 1
30 to 80	1

Performance Criterion: A

Test Procedure


- 1) Let the EUT work in test mode and test it.
- 2) The EUT are placed on an insulating support 0.1 m high above a ground reference plane. CDN (coupling and decoupling device) is placed on the ground plane about 0.3 m from EUT. Cables between CDN and EUT are as short as possible, and their height above the ground reference plane shall be between 30 and 50 mm (where possible).
- 3) The disturbance signal described below is injected to EUT through CDN.
- 4) The EUT operates within its operational mode(s) under intended climatic conditions after power on.
- 5) The frequency range is swept from 150 kHz to 80 MHz using 3V signal level, and with the disturbance signal 80% amplitude modulated with a 1 kHz sine wave.
- 6) The rate of sweep shall not exceed 1.5×10^{-3} decades/s. Where the frequency is swept incrementally, the step size shall not exceed 1% of the start and thereafter 1% of the preceding frequency value.
- 7) An artificial ear and sound level meter are used to monitor the sound pressure level. RF communication test set is used to monitor the noise level.
- 8) Recording the EUT operating situation during compliance testing and decide the EUT immunity criterion.

Test Data

N/A.

EN 55035 §4.2.3-POWER FREQUENCY MAGNETIC FIELDS (IEC 61000-4-8)

Test Setup



Test Standard

EN 55035:2017 (IEC 61000-4-8:2009)

Test Level

Level	Magnetic Field Strength A/m
1	1
2	3
3	10
4	30
5	100
X.	Special

Performance criterion: A

Test Procedure

The EUT shall be subjected to the test magnetic field by using the induction coil of standard dimensions (1 m*1 m). The induction coil shall then be rotated by 90° in order to expose the EUT to the test field with different orientations.

Test Data and Setup Photo

Environmental Conditions

Temperature:	22 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Caro Hu on 2022-01-20.


Level	Magnetic Field Strength A/m	X (Horizontal)	Y (Vertical)	Z (Special)
1	1	A	A	A
2	3	/	/	/
3	10	/	/	/
4	30	/	/	/
5	100	/	/	/
X	Special	/	/	/



Test setup photo

EN 55035 §4.2.4-ELECTRICAL FAST TRANSIENTS (IEC 61000-4-4)

Test System Setup



Test Standard

EN 55035:2017 (IEC 61000-4-4:2012)

Test Level

Open Circuit Output Test Voltage $\pm 10\%$		
Level	On Power Supply Lines	On I/O (Input/Output) Signal data and control lines
1	0.5 kV	0.25 kV
2	1 kV	0.5 kV
3	2 kV	1 kV
4	4 kV	2 kV
X	Special	Special

Performance Criterion: B

Test Procedure


The EUT was arranged for Power Line Coupling and for I/O Line Coupling through a capacitive clamp, where applicable. (Note: The I/O coupling test using a capacitive clamp is performed on the I/O interface cables that are longer in length than 3 meters.) A metal ground plane 2.4 meter by 2.0 meter was placed between the floor and the table and is connected to the earth by a 2.0 meter ground rod. The ground rod is connected to the test facility's electrical earth.

Test Data

N/A.

EN 55035 §4.2.5-SURGES (IEC 61000-4-5)

Test System Setup



Test Standard

EN 55035:2017 (IEC 61000-4-5:2005)

Test Level

Level	Open Circuit Output Test Voltage $\pm 10\%$	Performance Criterion	
		AC Mains	Signal Port
1	0.5 kV	B	C
2	1 kV	B	C
3	2 kV	B	C
4	4 kV	B	C
X	Special	/	/

Test Procedure


- 1) For input a.c. power ports, provide a 1.2/50 μ s voltage surge (at open-circuit condition) and a 8/20 μ s current surge into a short circuit.
- 2) For telecommunication port, provide a 10/700 μ s voltage surge (at open-circuit condition) and a 5/320 μ s current surge into a short circuit.
- 3) At least 5 positive and 5 negative (polarity) tests with a maximum 1/min repetition rate are conducted during test.
- 4) Different phase angles are done individually.
- 5) Record the EUT operating situation during compliance test and decide the EUT immunity criterion for above each test.

Test Data

N/A.

EN 55035 §4.2.6-VOLTAGE DIPS AND INTERRUPTIONS (IEC 61000-4-11)

Test Setup



Test Standard

EN 55035:2017 (IEC 61000-4-11:2004)
Test levels and Performance Criterion

Test Level	Voltage dip and short interruptions %UT	Duration (Periods)	Performance Criterion
1	>95	0.5	B
2	30	25	C
3	>95	250	C

Test Procedure

- 1) The interruption is introduced at selected phase angles with specified duration.
- 2) Record any degradation of performance.

Test Data


N/A.

EN IEC 61000-3-2 – HARMONIC CURRENT EMISSIONS

According to EN IEC 61000-3-2:2019 section 7: Equipment with a rated power of 75 W or less, other than lighting equipment, are not included in this standard.

EN 61000-3-3– VOLTAGE FLUCTUATION AND FLICKER

Test System Setup



Test Standard

According to EN 61000-3-3:2013/A1:2019:2013

Flicker Test Limits:

The limits shall be applicable to voltage fluctuations and flicker at the supply terminals of the equipment under test, measured or calculated according to clause 4 under test conditions described in clause 6 and annex A. Tests made to prove compliance with the limits are considered to be type tests.

The following limits apply:

- the value of P_{st} shall not be greater than 1,0;
- the value of Plt shall not be greater than 0,65;
- the value of $d(t)$ during a voltage change shall not exceed 3,3 % for more than 500 ms;
- the relative steady-state voltage change, d_c , shall not exceed 3,3 %;
- the maximum relative voltage change d_{max} , shall not exceed
 - a) 4 % without additional conditions;
 - b) 6 % for equipment which is:
 - switched manually, or
 - switched automatically more frequently than twice per day, and also has either a delayed restart (the delay being not less than a few tens of seconds), or manual restart, after a power supply interruption.

Note: The cycling frequency will be further limited by the P_{st} and Plt limit. For example: a d_{max} of 6 % producing a rectangular voltage change characteristic twice per hour will give a Plt of about 0.65.

- c) 7 % for equipment which is
 - attended whilst in use (for example: hair dryers, vacuum cleaners, kitchen equipment such as mixers, garden equipment such as lawn mowers, portable tools such as electric drills), or
 - switched on automatically, or is intended to be switched on manually, no more than twice per day, and also has either a delayed restart (the delay being not less than a few tens of seconds) or manual restart, after a power supply interruption.

In the case of equipment having several separately controlled circuits in accordance with 6.6, limits b) and

c) shall apply only if there is delayed or manual restart after a power supply interruption; for all equipment with automatic switching which is energized immediately on restoration of supply after a power supply interruption, limits a) shall apply; for all equipment with manual switching, limits b) or c) shall apply

depending on the rate of switching. Pst and Plt requirements shall not be applied to voltage changes caused by manual switching. The limits shall not be applied to voltage changes associated with emergency switching or emergency interruptions.

Test Data


N/A.

EXHIBIT B - TEST SETUP PHOTOGRAPHS

Radiated Emissions – Below 1 GHz



Radiated Emissions – Above 1 GHz



***** END OF REPORT *****